

[FIG. 2A is an exploded view of an alternate embodiment of one half of the anti-theft device of the present invention.]

FIG. 3 is an exploded/phantom view of the anti-theft device of the present invention illustrating all of the component parts thereof.

FIG. 4A is a plan view of the anti-theft device of the present invention.

FIG. 4B is a side elevation view of the anti-theft device of the present invention mounted to the dashboard of a truck.

FIG. 4C is an end view of the anti-theft device of the present invention mounted to the dashboard of a truck.

FIG. 5A is a plan view of one half of the anti-theft device of the present invention.

FIG. 5B is a side elevation view of one half of the anti-theft device of the present invention.

FIG. 5C is an end view of one half of the anti-theft device of the present invention.

FIG. 6A is a plan view of the other half of the anti-theft device of the present invention.

FIG. 6B is a side elevation view of the other half of the anti-theft device of the present invention.

FIG. 6C is an end view of the other half of the anti-theft device of the present invention.

#### DETAILED DESCRIPTION OF ONE EMBODIMENT:

Referring now to the drawings and to FIGS. 1A and 1B in particular, perspective views of the anti-theft device 10 of the present invention are shown. The device 10 is

FIG. 3 is an exploded/phantom view of the anti-theft device of the present invention illustrating all of the component parts thereof.

FIG. 4A is a plan view of the anti-theft device of the present invention.

FIG. 4B is a side elevation view of the anti-theft device of the present invention mounted to the dashboard of a truck.

FIG. 4C is an end view of the anti-theft device of the present invention mounted to the dashboard of a truck.

FIG. 5A is a plan view of one half of the anti-theft device of the present invention.

FIG. 5B is a side elevation view of one half of the anti-theft device of the present invention.

FIG. 5C is an end view of one half of the anti-theft device of the present invention.

FIG. 6A is a plan view of the other half of the anti-theft device of the present invention.

FIG. 6B is a side elevation view of the other half of the anti-theft device of the present invention.

FIG. 6C is an end view of the other half of the anti-theft device of the present invention.


#### DETAILED DESCRIPTION OF ONE EMBODIMENT:

Referring now to the drawings and to FIGS. 1A and 1B in particular, perspective views of the anti-theft device 10 of the present invention are shown. The device 10 is

The original Figure 2A was eliminated from the application and the reference thereto was inadvertently not deleted from the Brief Description portion of the Specification.

In light of the above, it is respectfully requested that the Examiner's rejections be removed and a timely Notice of Allowance be issued.

Respectfully submitted,



J. Ronald Richebourg

Reg. No. 26,642

Innovation Park


232 Talquin Cove Destin,

Fl, 32541

(850) 650-5610

-----  
Certificate of Mailing

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service, "Express Mail Post Office to Addressee" having an Express Mail mailing label number EF321230634US, on the date shown below with sufficient postage and addressed to the: Mail Stop Missing Parts, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



Date: